

# COSE215: Theory of Computation

## Lecture 3 — Deterministic Finite Automata

Hakjoo Oh  
2017 Spring

# A Finite Automaton is a String Recognizer



- Deterministic Finite Automata (DFA)
- Nondeterministic Finite Automata (NFA)

# Deterministic Finite Automata

## Definition (DFA)

A *deterministic finite automaton* (or *DFA*):

$$M = (Q, \Sigma, \delta, q_0, F)$$

where

- $Q$ : a finite set of *states*
- $\Sigma$ : a finite set of *input symbols* (or input alphabet)
- $\delta : Q \times \Sigma \rightarrow Q$ : a total function called *transition function*
- $q_0 \in Q$ : the *initial state*
- $F \subseteq Q$ : a set of *final states*

## Example

Definition:


$$M = (\{q_0, q_1, q_2\}, \{0, 1\}, \delta, q_0, \{q_1\})$$

$$\delta(q_0, 0) = q_0, \quad \delta(q_0, 1) = q_1$$

$$\delta(q_1, 0) = q_0, \quad \delta(q_1, 1) = q_2$$

$$\delta(q_2, 0) = q_2, \quad \delta(q_2, 1) = q_1$$

Transition graph:



Transition table:

	0	1
$\rightarrow q_0$	$q_0$	$q_1$
$*q_1$	$q_0$	$q_2$
$q_2$	$q_2$	$q_1$

## Exercises

Design a DFA that accepts the language:

$$\{x01y \mid x \text{ and } y \text{ are any strings of 0's and 1's}\}$$

## Extended Transition Function

Extend  $\delta : Q \times \Sigma \rightarrow Q$  to input *strings*:

$$\delta^* : Q \times \Sigma^* \rightarrow Q$$

- (Basis)  $s = \epsilon$ :

$$\delta^*(q, \epsilon) = q$$

- (Induction)  $s = wa$ :

$$\delta^*(q, wa) = \delta(\delta^*(q, w), a)$$


## Example

$$M = (\{q_0, q_1, q_2\}, \{0, 1\}, \delta, q_0, \{q_1\})$$

$$\delta(q_0, 0) = q_0, \quad \delta(q_0, 1) = q_1$$

$$\delta(q_1, 0) = q_0, \quad \delta(q_1, 1) = q_2$$

$$\delta(q_2, 0) = q_2, \quad \delta(q_2, 1) = q_1$$



- $\delta^*(q_0, 011) =$

# Language of Automata

## Definition

A DFA  $M = (Q, \Sigma, \delta, q_0, F)$  accepts a string  $w$  if

$$\delta^*(q_0, w) \in F$$

and the *language* of automaton  $M$ , denoted  $L(M)$ , is defined as the set of all strings accepted by  $M$ :

$$L(M) = \{w \in \Sigma^* \mid \delta^*(q_0, w) \in F\}.$$

## Definition


A language  $L$  is said to be *regular* iff there exists some DFA  $M$  such that

$$L = L(M)$$



## Exercises

- 1 What is the language of the following automaton?



- 2 Design a DFA that accepts the language:

$$L(M) = \{abw \mid w \in \{a, b\}^*\}$$

- 3 Design a DFA that accepts strings ending with 01:

$$L = \{w01 \mid w \in \{0, 1\}^*\}$$